

Consultee	Sent (date)	Delivery confirmed	Chased (date)	Chased (date)	Final Reply			Notes
					Support	Objection	ack.	
The Open Spaces Society (Mr Peter Newman) [REDACTED]	02/12	Yes, 02/12	Yes, 17/12	Final 06/01/20	Neutral	Neutral	Yes, 06/01	06/01 [REDACTED] confirmed the OSS had made their response previously. On writing to the OSS and thanking them for their support, P Newman emailed again on 06/01/20 to note "Thank you for your email. Our position is that we are unlikely to object to this proposal, but we are not actually supporting it."
The Rambler's Association (Mr Richard Tyler) [REDACTED]	02/12	Yes, 02/12	-	-	Yes	No	Yes, 10/12 and 02/01	02/01/20 "I am happy to confirm that Ramblers have no objection to this proposed change, indeed we welcome it."
The Byways and Bridleways Trust [REDACTED]	02/12	Yes, 02/12	Yes, 17/12	-	-	-	-	NO RESPONSE RECEIVED
Natural Resources Wales (Mr Michael Smith & Chris Heaps) [REDACTED]	02/12	Yes, 02/12	-	-	Yes	No	Yes 04/12 & 05/12	04/12 [REDACTED] "I confirm that Natural Resources Wales is supportive of both of these proposals for the ODPNT." 05/12 [REDACTED] "I believe that you have already heard from my colleague, Michael Smith. I can confirm that as this would be a safer (off-road) route with no increase in total trail length that I can see no issue with this proposal."
CADW, Welsh Government (for scheduled monuments) [REDACTED]	02/12	Yes, 02/12	-	-	No concerns	No	Yes, 17/12	17/12 "The creation of a new section of Offa's Dyke Path and the proposed diversion will take walkers off the B4362. The new routes will be in close proximity to the existing road. The northern end of the new footpath will be inside 35m, and visible from, scheduled monument RD025 Offa's Dyke: Section from Ditchyeld Bridge to County Boundary: However, it will be seen in close proximity to the existing B4362 and will not alter the way that Offa's Dyke is experienced, understood and appreciated. Consequently, the proposals will have no impact on the setting of scheduled monument RD025."
CPAT, The Clwyd-Powys Archaeological Trust (for scheduled monuments) [REDACTED]	02/12	Yes, 02/12	-	-	No concerns	No	Yes, 02/12	"Many thanks for this consultation. We have examined the HER and other resources. The only known historic assets within the immediate vicinity are Offa's Dyke to the east (a Scheduled Monument), and the old Ditchyeld bridge (a Listed Building), neither of which will be adversely affected by the proposed works. Therefore we

Consultee	Sent (date)	Delivery confirmed	Chased (date)	Chased (date)	Final Reply			Notes
					Support	Objection	ack.	
								<i>have no concerns about the impact of this footpath diversion on the historic environment."</i>
Dwr Cymru Welsh Water (Developer Services) [REDACTED]	02/12	Yes, 02/12	Yes, 17/12	-	-	-	-	[No response received, but note response sent by Welsh Water Asset Records below]
Western Power Distribution (Map Response Team) [REDACTED]	02/12	Yes, 02/12	-	-	Yes (04/12) See below	No	Yes 05/12	03/12 Automated email sent via LINESEARCHBEFOREUDIG: <i>"WPD Map Response - Registration Advice Dear Miss Alison Williamson, You have recently registered for the linesearchbeforeUdig system and have requested a plan which falls within or close to the Western Power Distribution area. Each of the linesearchbeforeUdig members operate their own approval systems and as such you may not be eligible to receive a plan from us. Your request has been forwarded to us and you will hear from us soon. In the meantime, if your request is urgent or you wish to discuss this further please contact Western Power Distribution via email at wpdwebmap@westernpower.co.uk"</i> SEE RESPONSE BELOW
Wales and West Utilities (general) and Plant Protection (Cadent Gas Ltd) [REDACTED]	02/12	Yes, 02/12	-	-	Yes 04/12 (WWU) (see advisory right) and 09/12/19 (Cadent Gas/ National Grid)	No	Yes 05/12	03/12/19 "Good morning, <i>Wales & West Utilities plans should now be obtained from LSBUD (https://www.linesearchbeforeudig.co.uk/).</i> <i>If you are working on behalf of a utility company, local authority or contractor working on behalf of a local authority and would still like to continue receiving asset information directly from WWU's Plant Protection Team, an administration fee of £36.00 + VAT will now be applicable.</i> <i>If you would like to proceed with your request, please let us know whether you will be paying by card or cheque and we will process your request."</i>

Consultee	Sent (date)	Delivery confirmed	Chased (date)	Chased (date)	Final Reply			Notes
					Support	Objection	ack.	
								<p>AW registered with website and conducted search.</p> <p>03/12 Automated email sent via LINESEARCHBEFOREUDIG</p> <p>04/12 <i>“According to our mains records Wales & West Utilities has no apparatus in the area of your enquiry. However Gas pipes owned by other GT’s and also privately owned may be present in this area. Information with regard to such pipes should be obtained from the owners. Safe digging practices, in accordance with HS(G)47, Avoiding Danger from underground services must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all persons (either direct labour or contractors) working for you on or near gas apparatus. Safe working procedures should be defined and practiced.”</i></p> <p>CADENT GAS 09/12/19 <i>“Please note this response and any attached map(s) are valid for 28 days. An assessment has been carried out with respect to Cadent Gas Limited, National Grid Electricity Transmission plc’s and National Grid Gas Transmission plc’s apparatus. Please note it does not cover the items listed in the section “Your Responsibilities and Obligations”, including gas service pipes and related apparatus. For details of Network areas please see the Cadent website (http://cadentgas.com/Digging-safely/Dial-beforeyou-dig) or the enclosed documentation. Are My Works Affected? Searches based on your enquiry have identified that there is no record of apparatus in the immediate vicinity of your enquiry. <u>Cadent and National Grid therefore have no objection to these proposed activities.</u></i></p>

Consultee	Sent (date)	Delivery confirmed	Chased (date)	Chased (date)	Final Reply			Notes
					Support	Objection	ack.	
								<p>The contractor should contact Plant Protection before any works are carried out to ensure the apparatus is not affected by any of the proposed works.</p> <p>This assessment solely relates to Cadent Gas Limited, National Grid Electricity Transmission plc (NGET) and National Grid Gas Transmission plc (NGGT) and apparatus. This assessment does NOT include:</p> <ul style="list-style-type: none"> • Cadent and/or National Grid's legal interest (easements or wayleaves) in the land which restricts activity in proximity to Cadent and/or National Grid's assets in private land. You must obtain details of any such restrictions from the landowner in the first instance and if in doubt contact Plant Protection. • Gas service pipes and related apparatus. • Recently installed apparatus • Apparatus owned by other organisations, e.g. other gas distribution operators, local electricity companies, other utilities, etc. <p>It is YOUR responsibility to take into account whether the items listed above may be present and if they could be affected by your proposed activities."</p>
BT Openreach (general) [REDACTED]	02/12	Yes, 02/12	Yes, 17/12	Yes, 08/01	-	-	-	<p>18/12 "Thank you for your enquiry, this has now been registered on our systems with a reference of ACTS 829121.</p> <p>A local Repayments engineer will contact you within 20 working days regarding your scheme.</p> <p>If you have not heard from a repayments engineer after 20 working days please do not hesitate to contact us again at Networkalterationsuk@openreach.co.uk Please quote the reference we have supplied and we will escalate to the appropriate office."</p> <p>Open Reach chased again as response expected by 08/01/20. It was indicated that if no reply was received by 10/01 it would be assumed they had no concerns.</p>

Consultee	Sent (date)	Delivery confirmed	Chased (date)	Chased (date)	Final Reply			Notes
					Support	Objection	ack.	
								NO FURTHER RESPONSE RECEIVED
PCC Planning Services and HGSS Manager (South) [REDACTED]	02/12	Yes, 02/12	Yes, 17/12	-	-	-	-	09/12 Acknowledgement received. NO FURTHER RESPONSE RECEIVED
PCC Travel Officer (David Allday) [REDACTED]	02/12	Yes, 02/12	Yes, 17/12	-	Yes, 20/12	No	Yes, 20/12	20/12 "From an Active Travel perspective, we do not object to these proposed amendments."
Old Radnor Community Council Councillor E. Michael Jones [REDACTED]	02/12	Yes, 02/12	Yes, 17/12	-	Yes (see below)	No	Yes, 18/12	[SEE RESPONSE BELOW FROM THE CLERK]
Old Radnor Community Council Clerk (Mrs T Price) [REDACTED]	02/12	Yes, 02/12	Yes, 17/12	-	Strong support, 18/12	No	Yes, 18/12	18/12 "The new path was discussed at the meeting held last night and Councillors asked that I respond confirming their strong support."
HEREFORDSHIRE CONTACTS								
Ramblers Association (Mr John Wride) [REDACTED]	02/12	Yes, 02/12	-	-	Yes, 11/12	No	Yes, 12/12	Email found from website 11/12 "I walked this section of the Offa's Dyke Path earlier this year and yes, it is not safe walking along that section of the B4362, so I agree that we shall support the proposal - provided the field edges of the new path along A-C and D-G are kept walkable and not ploughed, and the crossing at Riddings brook kept viable."
BHS Access and PROW [REDACTED]	02/12	Yes, 02/12	No	-	(see below)	-	-	Email found on website Central BHS not chased as local contact replied to consultation.
BHS Local Representative (Ms Shelley Renwick) [REDACTED]	02/12	Yes, 02/12	-	-	(Neutral)	No	Yes, 03/12	02/12 "For Footpath consultations we usually respond neutrally unless there is an impact on equestrian stakeholders that we are aware of. For this proposal the BHS Herefordshire response is neutral."
Cyclist's Touring Club (Mr Mark Slater) [REDACTED]	02/12	Yes, 02/12	Yes, 17/12	-	-	-	-	Email from SB details, having checked website NO RESPONSE RECEIVED
British Driving Society (Sue Mills) [REDACTED]	02/12	Yes, 02/12	Yes, 17/12	-	-	-	-	Phoned BDS 2/12, confirmed address on website was correct. NO RESPONSE RECEIVED
Auto Cycle Union (General) [REDACTED]	02/12	Yes, 02/12	Yes, 17/12	-	-	-	-	[REDACTED] no longer listed. Send email to general email address and it will be passed on to the central co-ordinator for distribution to the correct person. NO FURTHER RESPONSE RECEIVED

Consultee	Sent (date)	Delivery confirmed	Chased (date)	Chased (date)	Final Reply			Notes
					Support	Objection	ack.	
The Environment Agency	No – not required	Yes, 02/12	-	-	-	-	-	As the Riddings Brook is not part of main river, there is no need to consult the EA.
Clerk to Knighton Rural and Lower Harpton PC (Ms Ester Rolls) [REDACTED]	02/12	Yes, 02/12	-	-	Yes	No	Yes 03/12	Email found from weblink 17/12 "At our Council meeting last week, we discussed the changes suggested for the Offa's Dyke Path and considered that safety was of paramount importance and thought it was a good idea. [REDACTED] (owner of the land in Lower Harpton) explained that the family had no objections."
Highways Network Manager (Mairead Lane) [REDACTED]	02/12	Yes, 02/12	Yes, 17/12	-	-	-	-	Phoned Highways 2/12 and was advised to contact [REDACTED] as now the main contact. NO FURTHER RESPONSE RECEIVED
Welsh Water Asset Records [REDACTED]	02/12	No	Yes, 17/12	-	Neutral 19/12	No	Yes, 19/12	19/12 "In regards to Proposed footpath changes at Lower Harpton on Welsh/ English border, please be advised that DCWW assets will not be affected."
Severn Trent Water, Networks West and STW Sewerage Division	No – not required	Yes, 02/12	-	-	-	-	-	Not required according to map on consultation document as outside area
Cadent Gas, Plant Protection [REDACTED]	02/12	No	-	-	-	-	-	02/12 Email to SW stating "I had an undeliverable message (attached) in connection with the email address you supplied for Cadent Gas (plantprotection@uk.ngrid.com). However, since the email has been successfully delivered to the email address supplied by Powys County Council (plantprotection@cadentgas.com, with the postal address the same: Plant Protection, Cadent Gas Ltd National Grid, Block 1, Floor 1, Brock Kiln Street, Hinckley, Leicestershire LE10 0NA), I do not intend to follow-up this delivery failure, unless you advise to the contrary."
Wales and West Utilities	No – not required	Yes, 02/12	-	-	-	-	-	Not required according to map on consultation document as outside area
Cable and Wireless, Atkins Telecom [REDACTED]	02/12	Yes, 02/12	-	-	Yes (09/12)	No	Yes 09/12	09/12 "We refer to the below or attached order and confirm that we have no objections."
Western Power Distribution [REDACTED]	02/12	Yes, 02/12	Yes, 17/12	-	Yes (04/12)	No	Yes 05/12	SEE LINESEARCHBEFOREUDIG RESPONSE ABOVE UNDER WALES AND WEST UTILITIES