

Brockhampton Parish Council

Re:Pre-order consultations Highways Act 119. Proposed diversion order FootpathLTB11 (Part) in the Parish of Linton.

Mr David Hunter-Miller <brockhamptongroup@gmail.com>
To: Ted Stokes <tedstokes.2357@gmail.com>

18 March 2021 at 09:20

Dear Colin,

Brockhampton Group Parish Council discussed this at their meeting yesterday and raised no objections or concerns with the proposals.

Kind regards,

Mr David Hunter-Miller Bsc(Hons), PSLCC, MCiHT
Clerk to Brockhampton Group Parish Council
07513 122918
brockhamptongrouppc.org.uk

Brockhampton Group Parish Council treats personal data in accordance with the General Data Protection Regulation. Further information on our data privacy arrangements can be found on our website: brockhamptongrouppc.org.uk/policies-and-procedures

[Quoted text hidden]

Byways & Bridleways Trust

Thank you for your email [Re: Pre-order consultations Highways Act 119. Proposed diversion order FootpathLTB11 (Part) in the Parish of Linton.]

<notices@bywaysandbridlewaystrust.org.uk>
To: <tedstokes.2357@gmail.com>

Fri 5 Mar, 17:15

Thank you for your notice.

Due to the number of notices received, we will not necessarily respond.

Cable & Wireless

FW: Footpath Diversion = Footpath LTB11 (part) in the parish of Linton

Shivakumar, Gokila <Gokila.Shivakumar@atkinsglobal.com>
To: "Tedstokes.2357@gmail.com" <Tedstokes.2357@gmail.com>

19 March 2021 at 06:53

Please note - We have created an electronic response for you in reply to your postal enquiry. For ALL future plant enquiry requests please email to osm.enquiries@atkinsglobal.com

Please accept this email as confirmation that Vodafone; Fixed **does not** have apparatus within the vicinity of your proposed works detailed below.

Many thanks.

Plant Enquiries Team


T: +44 (0)1454 662881

E: osm.enquiries@atkinsglobal.com

ATKINS working on behalf of Vodafone; Fixed




Cadent House Gas

| | |
|--|---|
|  Your Gas Network | Plant Protection Cadent Block 1; Floor 1 Brick Kiln Street Hinckley LE10 0NA E-mail: plantprotection@cadentgas.com Telephone: +44 (0)800 688588 |
| Colin A Stokes Colin A Stokes Solmor Paddocks Linley Green Road Whitbourne Worcester WR6 5RE | National Gas Emergency Number: 0800 111 999* |
| | National Grid Electricity Emergency Number: 0800 40 40 90* |
| | * Available 24 hours, 7 days/week. Calls may be recorded and monitored. www.cadentgas.com |
| Date: 10/03/2021 Our Ref: XX_XX_3FWP_058609 Your Ref: Footpath LTB11 (JP) RE: Formal Enquiry, WR6 5RE Footpath LTB11 (Part) in the Parish of Linton | |
| Thank you for your enquiry which was received on 09/03/2021. Please note this response and any attached map(s) are valid for 28 days. | |
| An assessment has been carried out with respect to Cadent Gas Limited, National Grid Electricity Transmission plc's and National Grid Gas Transmission plc's apparatus. Please note it does not cover the items listed in the section "Your Responsibilities and Obligations", including gas service pipes and related apparatus. For details of Network areas please see the Cadent website (http://cadentgas.com/Digging-safely/Dial-before-you-dig) or the enclosed documentation. | |
| Are My Works Affected? | |
| Searches based on your enquiry have identified that there is no record of apparatus in the immediate vicinity of your enquiry. | |
| Cadent and National Grid therefore have no objection to these proposed activities. | |

Malvern Hills District Footpath Society

| | |
|--|--|
| MALVERN HILLS DISTRICT FOOTPATH SOCIETY 'Affiliated to the Ramblers Association, to the Open Spaces Society & to the Campaign to Protect Rural England'. | |
| | 4 Rectory Lane Madresfield Malvern Worcs WR13 5AB |
| | 01684 560 927 Email: landm@mikeeveritt.plus.com |
| | 10 th March 2021 |
| Mr C A Stokes Solmor Paddocks, Linley Green Road Whitbourne Worcester WR6 5RE | |
| Dear Mr Stokes | |
| Pre-Order Consultation – Footpath Linton LTB11(Part) | |
| Thank you for your letter dated 8 th March 2021 about legally diverting footpath Linton LTB11 out of your garden, as shown on your drawing. | |
| We have no objection to your proposal. | |
| Yours sincerely | |
| W M Everitt Rights of Way Secretary | |

Open Spaces Society



TEL 01491 573535
EMAIL hq@oss.org.uk
WEB www.oss.org.uk

10 March 2021

Mr C Stokes
Solmor Paddocks
Linley Green Road
Whitbourne
Worcester
WR6 5RE

Dear Mr Stokes

Proposed Diversion of Footpath LTB11, part, Linton

Thank you for consulting the society regarding the proposed diversion.

Unfortunately currently the Society has no local correspondent covering this area so will not be making any comments on this application.

Yours sincerely

Christine Hunter

Christine Hunter
Office Assistant

Openreach

<jonathan.gibbons@openreach.co.uk> Fri 12 Mar, 13:09
To: <tedstokes.2357@gmail.com>

Dear Sir,

Thank you for the copy of the proposed order together with the relevant plan.

Openreach does not appear to have apparatus that may be affected in the area of your proposals.

Openreach will not object to this order, however, we will insist on maintaining our rights under the appropriate legislation. If our plant has to be resited then charges will be raised to recover these costs. Access to any apparatus that we may have in this vicinity must be available at all times.

Please ensure that the developer/owner is aware of this information; if you have any queries regarding this matter please do not hesitate to contact me.

Yours faithfully,

Jonathan Gibbons Eng Tech MITP
Repayments Project Engineer
Openreach

The Ramblers Association



Mike Goodwin
23 Castlefields
Leominster. HR6 8BG
01568 616473
mikegoodwin1@talktalk.net

Colin Stokes
Solmor Paddocks
Whitbourne
Worcester WR65RE

Dear Mr Stokes.

Ref Pre-order consultation Footpath LTB11


I refer to your application to divert Footpath LTB11 from the legal line through your garden to the field that immediately adjoins your property. At the moment this line runs inside your left-hand boundary and then into the field beyond. I have visited the site. There are no visible signs of this path in your garden and there is a large domestic oil tank about half way down that would obstruct the line of the path. At the end is a wooden fence. It is clear that walkers do not use this route, but go along the field on the line that you propose for the diversion. There is a double gate into the field, at the side of which is a new fence and a wooden cross step that acts as a stile, which is adequate. At the moment there is no finger post from the road.

The Ramblers would not object to the path being diverted from its present legal line into the field as proposed.

Your sincerely

Mike Goodwin.
Ramblers Footpath Secretary

Auto Cycle Union





Ted Stokes <tedstokes.2357@gmail.com>

**Re:Pre-order consultations Highways Act 119. Proposed diversion order
FootpathLTB11 (Part) in the Parish of Linton.**

Shelley Renwick <burmarsh6@gmail.com>

6 March 2021 at 17:33

To: Ted Stokes <tedstokes.2357@gmail.com>

Cc: Wendy Bannerman <wendy.bannerman@bhs.org.uk>, Rachel <rachel.colwall@gmail.com>

Mr Stokes,

Thank you for sending over this right of way consultation.

I am a voluntary Access Officer for the local committee of the BHS and am required to respond to consultations generally.

For this particular application, I note that the proposed changes to the public right of way(PROW) are regarding a footpath. Given that I am not aware of any impact this could have on equestrian stakeholders in the area, then the BHS response is neutral.

I have copied in BHS Access Colleagues who also deal with Herefordshire PROW.

Kind regards

Shelley Renwick

For Herefordshire BHS

[Quoted text hidden]

==

Shelley Renwick
07880 907524